

**UTILITY
PATENT APPLICATION
TRANSMITTAL**

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No.

200023US2RD

First Inventor or Application Identifier

Satoshi ITO

Title

ELECTRONIC CATALOG MAINTENANCE SYSTEM FOR ENABLING
OF-STANDARD ELECTRONIC CATALOG CHANGES

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents

ADDRESS TO:

Assistant Commissioner for Patents
Box Patent Application
Washington, DC 20231

1. ☒ Fee Transmittal Form (e.g. PTO/SB/17)
(Submit an original and a duplicate for fee processing)

Specification

Total Sheets

41

2. ☒ Drawing(s) (35 U.S.C. 113)

Total Sheets

34

(Formals)

4. ☒ Oath or Declaration

Total Pages

3

a. ☒ Newly executed (original)

b. ☐ Copy from a prior application (37 C.F.R. §1.63(d))
(for continuation / divisional w/ box 16 completed)

i. ☐ DELETION OF INVENTOR(S)

Signed statement attached deleting inventor(s) named in
the prior application, see 37 C.F.R. §1.63(d)(2) and
1.33(b).

5. ☐ CD-ROM or CD-R in duplicate, large table or Computer
Program (Appendix)

6. ☐ Nucleotide and/or Amino Acid Sequence Submission
(if applicable, all necessary)

a. ☐ Computer Readable Form (CRF)

b. Specification or Sequence Listing on:

i. ☐ CD-ROM or CD-R (2 copies); or

ii. ☐ Paper

c. ☐ Statements verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

7. ☐ Assignment Papers (cover sheet & document(s))

8. ☐ Application Data Sheet. See 37 CFR 1.76

9. ☐ 37 C.F.R. §3.73(b) Statement ☐ Power of Attorney
(when there is an assignee)

10. ☐ English Translation Document (if applicable)

11. ☐ Information Disclosure
Statement (IDS)/PTO-1449 ☐ Copies of IDS
Citations

12. ☐ Preliminary Amendment

13. ☒ White Advance Serial No. Postcard

14. ☒ Certified Copy of Priority Document(s) (1)
(if foreign priority is claimed)

15. ☐ Applicant claims small entity status.
See 37 CFR 1.27

16. ☒ Other: Notice of Priority

16. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below:

☐ Continuation

☐ Divisional

☐ Continuation-in-part (CIP)

of prior application no.:

Prior application information: Examiner:

Group Art Unit:

For CONTINUATION OR DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is
considered a part of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon
when a portion has been inadvertently omitted from the submitted application parts.

17. Amend the specification by inserting before the first line the sentence:

☐ This application is a ☐ Continuation ☐ Division ☐ Continuation-in-part (CIP)
of application Serial No. Filed on

☐ This application claims priority of provisional application Serial No.

Filed

18. CORRESPONDENCE ADDRESS



22850

(703) 413-3000

FACSIMILE: (703) 413-2220

Name:	Marvin J. Spivak	Registration No.:	24,913
Signature:		Date:	11/22/00
Name:	C. John McGinnis	Registration No.:	

Docket No. 200023US2RD

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

INVENTOR(S) Satoshi ITO

SERIAL NO: New Application

FILING DATE: Herewith

FOR: ELECTRONIC CATALOG MAINTENANCE SYSTEM FOR ENABLING OUT-OF-STANDARD
ELECTRONIC CATALOG CHANGES

FEE TRANSMITTAL


ASSISTANT COMMISSIONER FOR PATENTS
WASHINGTON, D.C. 20231

FOR	NUMBER FILED	NUMBER EXTRA	RATE	CALCULATIONS
TOTAL CLAIMS	24 - 20 =	4	× \$18 =	\$72.00
INDEPENDENT CLAIMS	3 - 3 =	0	× \$80 =	\$0.00
<input type="checkbox"/> MULTIPLE DEPENDENT CLAIMS (If applicable)			+ \$270 =	\$0.00
<input type="checkbox"/> LATE FILING OF DECLARATION			+ \$130 =	\$0.00
BASIC FEE				\$710.00
TOTAL OF ABOVE CALCULATIONS				\$782.00
<input type="checkbox"/> REDUCTION BY 50% FOR FILING BY SMALL ENTITY				\$0.00
<input type="checkbox"/> FILING IN NON-ENGLISH LANGUAGE			+ \$130 =	\$0.00
<input type="checkbox"/> RECORDATION OF ASSIGNMENT			+ \$40 =	\$0.00
TOTAL				\$782.00

- ☐ Please charge Deposit Account No. 15-0030 in the amount of _____ A duplicate copy of this sheet is enclosed.
- ☒ A check in the amount of **\$782.00** to cover the filing fee is enclosed.
- ☒ The Commissioner is hereby authorized to charge any additional fees which may be required for the papers being filed herewith and for which no check is enclosed herewith, or credit any overpayment to Deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.

Respectfully Submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.


Marvin J. Spivak
Registration No. 24,913

C. Peter McClelland
Registration Number 21,124

Date: 11/22/00



22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 10/00)

ELECTRONIC CATALOG MAINTENANCE SYSTEM FOR ENABLING OUT-OF-STANDARD ELECTRONIC CATALOG CHANGES

5 BACKGROUND OF THE INVENTION

FIELD OF THE INVENTION

The present invention relates to an electronic catalog maintenance system for maintaining an electronic catalog
10 formed according to a prescribed standard such as ISO13584.

DESCRIPTION OF THE BACKGROUND ART

ISO13584 (Parts Library) is the conventionally known international standard for implementing the electronic
15 catalog system for electronically providing product information on the Internet. In this ISO13584, the electronic catalog is formed by dictionary data and contents (catalog data), which are given in a unified data structure in order to realize sharing and reuse of the
20 product information.

In the dictionary data defined by ISO13584, the product classification is expressed hierarchically as in an example shown in Fig. 27, by relating "product classes" A0, B0, B1 and C0-C3 by a single tree structure. Each of the
25 "product classes" A0, B0, B1, C0-C3 has "attribute items" V0-V6, and the "attribute items" of one "product class" (such as V0 and V1 belonging to B0, for example) are inherited to the lower "product classes" (C0 and C1).

Also, in ISO13584, a unique ID (identifier) called
30 "BSU (Basic Semantic Unit) code" is to be assigned to each one of the "product classes" and the "attribute items" in order to identify it uniquely. Note that the "attribute items" includes "Visible" type attribute items which can only be referred and "Applicable" type attribute items for
35 which actual values can be entered. The "Applicable" type

attribute items are to be selected from "Visible" type attribute items that can be referred (V0 of C2, for example).

While ISO13584 provides a framework for the electronic catalog, the international standardization of actual dictionary data is also in progress, and IEC61360 is currently striving for the standardization of the upper hierarchy part of the dictionary data in the field of electric and electronic products, that is, the general part regarding the "product classes" and the "attribute items". As a result, a product catalog producer of each company can create that company's own contents by determining the original detailed "product classes" and "attribute items" as a lower level development from IEC61360.

A user of the electronic catalog can retrieve a desired product from the contents created in this way by tracing the classification hierarchy of the "product classes" and narrowing down products that can meet his/her needs by referring to attribute values. In recent years, several systems in compliance with ISO13584 have been developed in this trend.

In ISO13584 described above, a basic idea of the maintenance regarding a dictionary system formed according to the definition is described, and in particular, a mechanism based on Version/Revision updates is described for management of the dictionary.

Figs. 28A and 28B summarize that basic idea. In Fig. 28A, a way of handling each type is described for addition, change, and deletion of associated information of the attribute item (property). Also, in Fig. 28B, a way of handling each type is described for addition, change, and deletion of associated information of the product class (which will be referred to hereafter as "class").

However, according to the agreement shown in Figs. 28A and 28B, changes of the dictionary are very limited, and in

particular, changes required in the following cases cannot be handled.

Case 1) Deletion of Visible/Applicable Property

Case 2) Change of Visible/Applicable Property

5 Case 3) Change which deletes a Property to be inherited, among changes of Super Class

Case 4) Change of Name scope of Visible Property

Note however that, in Case 2), the "Version UP of Property" event is excluded, and addition of
10 Visible/Applicable Property can be handled by Version up.

Note also that, in Case 3), the "Version UP of Super Class" event is excluded, and change which does not delete a Property to be inherited such as insertion of an intermediate class can be handled by Version up, while
15 change of Preferred Name can be handled by Revision up.

Now, it is expected that these Case 1) to Case 4) will occur frequently in practice as in the case of changing the class hierarchy structure. For example, they are expected to occur in the case of newly creating a class (FFF) at an
20 end (EEE) of the tree structure as shown in Fig. 29, the case of deleting an end class (HHH) as shown in Fig. 30, the case of merging a plurality of product classes (EEE and HHH) to one product class (KKK) as shown in Fig. 31, the case of moving the product class (HHH or DDD) as shown in
25 Figs. 32, 33, 34 and 35, and the case of creating or deleting an intermediate class (HHH) as shown in Figs. 36 and 37.

Consequently, it is practically very important to enable handling of such cases as Case 1) to Case 4) by
30 going beyond the framework of ISO13584. However, the following problems are encountered in realizing this.

First, the BSU code that is once issued and disclosed cannot be deleted and must be permanently managed even when it becomes unused as it is taken out from the dictionary
35 system, because there is a possibility of referencing from

the legacy system, so that there is a need to be compatible with the legacy system.

Second, one class or attribute can be regarded as a number of different classes or attributes when the hierarchy structure is changed, even if the definition and the content of that class or attribute as a single entity remain unchanged. This will cause a large number of the new issuance of the BSU code and the releasing of the BSU code so that the management of codes becomes very difficult. For this reason, there is a need to provide a function for comprehending the new issuance of the BSU code.

SUMMARY OF THE INVENTION

It is therefore an object of the present invention to provide an electronic catalog maintenance system capable of improving usefulness and generality of the electronic catalog by ensuring the freedom of changes of the electronic catalog, while making the changed electronic catalog data utilizable even in the conventional systems.

According to one aspect of the present invention there is provided an electronic catalog maintenance system, comprising: a dictionary database configured to store dictionary data of an electronic catalog, the dictionary data being given in a form of a tree structure formed by identifiers for uniquely identifying classes classifying products and attributes of the products; an editing unit configured to edit the dictionary data stored by the dictionary database by making changes including standard changes defined by a prescribed standard and out-of-standard changes not defined by the prescribed standard; a change status detection unit configured to detect a status of each change made by the editing unit, and to generate an identifier change data indicating the status of each change

made by the editing unit and updates of identifiers to be made in the dictionary data; an identifier update unit configured to issue a new identifier of each class or attribute created by an out-of-standard change made by the editing unit, and to retire an old identifier of each class or attribute deleted by an out-of-standard change made by the editing unit, according to the identifier change data generated by the change status detection unit; and an identifier change database configured to store the identifier change data generated by the change status detection unit.

According to another aspect of the present invention there is provided an electronic catalog maintenance method, comprising the steps of: (a) storing dictionary data of an electronic catalog in a dictionary database, the dictionary data being given in a form of a tree structure formed by identifiers for uniquely identifying classes classifying products and attributes of the products; (b) editing the dictionary data stored by the dictionary database by making changes including standard changes defined by a prescribed standard and out-of-standard changes not defined by the prescribed standard; (c) detecting a status of each change made by the step (b), and generating an identifier change data indicating the status of each change made by the step (b) and updates of identifiers to be made in the dictionary data; (d) issuing a new identifier of each class or attribute created by an out-of-standard change made by the step (b), and releasing an old identifier of each class or attribute deleted by an out-of-standard change made by the step (b), according to the identifier change data generated at the step (c); and (e) storing the identifier change data generated by the step (c) in an identifier change database.

According to another aspect of the present invention there is provided a computer usable medium having computer readable program codes embodied therein for causing a

computer to function as an electronic catalog maintenance system, the computer readable program codes include: a first computer readable program code for causing said computer to store dictionary data of an electronic catalog
5 in a dictionary database, the dictionary data being given in a form of a tree structure formed by identifiers for uniquely identifying classes classifying products and attributes of the products; a second computer readable program code for causing said computer to edit the
10 dictionary data stored by the dictionary database by making changes including standard changes defined by a prescribed standard and out-of-standard changes not defined by the prescribed standard; a third computer readable program code for causing said computer to detect a status of each change
15 made by the editing unit, and to generate an identifier change data indicating the status of each change made by the editing unit and updates of identifiers to be made in the dictionary data; a fourth computer readable program code for causing said computer to issue a new identifier of
20 each class or attribute created by an out-of-standard change made by the editing unit, and to retire an old identifier of each class or attribute deleted by an out-of-standard change made by the editing unit, according to the identifier change data generated by the third computer
25 readable program code; and a fifth computer readable program code for causing said computer to store the identifier change data generated by the third computer readable program code in an identifier change database.

Other features and advantages of the present invention
30 will become apparent from the following description taken in conjunction with the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

35

Fig. 1 is a block diagram showing an overall configuration of an electronic catalog maintenance system according to one embodiment of the present invention.

Fig. 2 is a diagram showing an example of class data
5 in electronic catalog dictionary data used by the electronic catalog maintenance system of Fig. 1.

Fig. 3 is a diagram showing an example of attribute data in electronic catalog dictionary data used by the electronic catalog maintenance system of Fig. 1.

10 Fig. 4 is a diagram showing an example of class-attribute relationship data in electronic catalog dictionary data used by the electronic catalog maintenance system of Fig. 1.

Fig. 5 is a diagram showing an example of class BSU
15 code change data in BSU code change data used by the electronic catalog maintenance system of Fig. 1.

Fig. 6 is a diagram showing an example of attribute BSU code change data in BSU code change data used by the electronic catalog maintenance system of Fig. 1.

20 Fig. 7 is a diagram showing an exemplary model for expressing version tree data and revision tree data used by the electronic catalog maintenance system of Fig. 1.

Fig. 8 is a diagram showing an exemplary data description of version tree data and revision tree data
25 used by the electronic catalog maintenance system of Fig. 1.

Fig. 9 is a diagram showing an example of dictionary system quality data used by the electronic catalog maintenance system of Fig. 1.

30 Fig. 10 is a flow chart for an overall processing of the electronic catalog maintenance system of Fig. 1.

Fig. 11 is a flow chart for a processing by a master database management unit at the step S3 of Fig. 10.

Fig. 12 is a flow chart for a processing by an editing
35 database management unit at the step S4 of Fig. 10.

Fig. 13 is a flow chart for a processing by a dictionary change status detection function at the step S13 of Fig. 10.

Fig. 14 is a diagram showing an example of change type discrimination rules used by the electronic catalog maintenance system of Fig. 1.

Fig. 15 is a flow chart for a processing by a summary generation function with respect to class data at the step S16 of Fig. 10.

Fig. 16 is a flow chart for a processing by a summary generation function with respect to attribute data at the step S16 of Fig. 10.

Fig. 17 is a diagram showing an exemplary manner of changing BSU codes due to dictionary data editing at the step S12 of Fig. 10.

Fig. 18 is a diagram showing class BSU code change data and its summary generated as a result of changes shown in Fig. 17.

Fig. 19 is a diagram showing attribute BSU code change data and its summary generated as a result of changes shown in Fig. 17.

Fig. 20 is a flow chart for a processing by a dictionary system quality check function at the step S17 of Fig. 10.

Fig. 21A is a diagram showing an example of quality check rules used by the electronic catalog maintenance system of Fig. 1.

Fig. 21B is a diagram showing an example of BSU code issuance rules used by the electronic catalog maintenance system of Fig. 1.

Fig. 22 is a flow chart for a processing by an editing database management unit at the step S18 of Fig. 10.

Fig. 23 is a flow chart for a processing by a BSU code update function with respect to class data at the step S22 of Fig. 10.

Fig. 24 is a flow chart for a processing by a BSU code update function with respect to attribute data at the step S22 of Fig. 10.

Fig. 25 is a flow chart for a processing by a master
5 database management unit at the step S23 of Fig. 10.

Fig. 26 is a diagram showing computer readable recording media for recording an electronic catalog maintenance program according to the present invention.

Fig. 27 is a diagram showing an exemplary electronic
10 catalog data structure according to ISO13584.

Fig. 28A is a diagram showing Version/Revision update rules for property (attribute) as defined by ISO13584.

Fig. 28B is a diagram showing Version/Revision update rules for class (attribute) as defined by ISO13584.

Fig. 29 is a diagram showing an exemplary BSU code change due to an electronic catalog change for creation of end class.
15

Fig. 30 is a diagram showing an exemplary BSU code change due to an electronic catalog change for deletion of end class.
20

Fig. 31 is a diagram showing an exemplary BSU code change due to an electronic catalog change for merging of classes.

Fig. 32 is a diagram showing an exemplary BSU code change due to an electronic catalog change for moving of a class.
25

Fig. 33 is a diagram showing an exemplary BSU code change due to an electronic catalog change for moving of a class.

Fig. 34 is a diagram showing an exemplary BSU code change due to an electronic catalog change for moving of a class.
30

Fig. 35 is a diagram showing an exemplary BSU code change due to an electronic catalog change for moving of a class.
35

Fig. 36 is a diagram showing an exemplary BSU code change due to an electronic catalog change for creation of an intermediate class.

Fig. 37 is a diagram showing an exemplary BSU code change due to an electronic catalog change for deletion of an intermediate class.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

10

Referring now to Fig. 1 to Fig. 26, one embodiment of the electronic catalog maintenance system according to the present invention will be described in detail.

(Overall configuration of the electronic catalog maintenance system)

Fig. 1 shows a schematic configuration of the electronic catalog maintenance system according to this embodiment.

As shown in Fig. 1, the electronic catalog maintenance system of this embodiment comprises a dictionary editor 1, a BSU code change management function 2, a dictionary change status detection function 5, a dictionary system quality check function 6, an editing database management unit 7, a master database management unit 8, an electronic catalog dictionary editing database 14, a BSU code change management editing database 16, an electronic catalog dictionary master database 20, and a BSU code change management master database 22.

The dictionary editor 1 newly creates or edits the electronic catalog dictionary data 10. In this embodiment, this dictionary editor 1 can store the newly created or edited electronic catalog dictionary data 10 into the electronic catalog dictionary editing database 14 or the electronic catalog dictionary master database 20, and read out the electronic catalog dictionary data 10 from the

electronic catalog dictionary editing database 14 or the electronic catalog dictionary master database 20 and edit them.

The BSU code change management function 2 has a
5 summary generation function 3 and a BSU code update function 4. The summary generation function 3 generates a summary of changes by deleting redundant portion from the BSU code change data 9 at a time of storing the electronic catalog dictionary data 10. The BSU code update function 4
10 updates the BSU codes in the electronic catalog dictionary data 10 according to the generated summary and BSU code issuance rules 11.

The dictionary change status detection function 5 detects how BSU codes will be affected by the editing of
15 the electronic catalog dictionary data 10 made by the dictionary editor 1 according to change type discrimination rules 12, and generates the BSU code change data 9.

The dictionary system quality check function 6 checks a quality of the updated electronic catalog dictionary data
20 10 according to quality check rules 13, and generates dictionary system quality data 26.

The editing database management unit 7 manages data input/output with respect to the electronic catalog dictionary editing database 14 and the BSU code change
25 management editing database 16.

The master database management unit 8 manages data input/output with respect to the electronic catalog dictionary master database 20 and the BSU code change management master database 22.

30 The electronic catalog dictionary data 10 updated as a result of the editing or the like will be stored into the electronic catalog dictionary editing database 14 by the editing database management unit 7, as editing electronic catalog dictionary data 15. Also, the BSU code change data
35 9 that became the summary and the dictionary system quality

data 26 are stored into the BSU code change management editing database 16 by the editing database management unit 7 similarly, as editing BSU code change data 17 and editing dictionary system quality data 19 respectively. At a time of storing these data, the editing database management unit 7 generates and manages Revision Tree data 18 describing relationships among these data in order to carry out the revision management of the dictionary.

Among the electronic catalog dictionary data 15 stored in the electronic catalog dictionary editing database 14, data to be used as a disclosure version which have a high level of completeness will be sent to the master database management unit 8, and managed in the electronic catalog dictionary master database 20 as master electronic catalog dictionary data 21. At the same time, the corresponding editing BSU code change data 17 and the corresponding editing dictionary system quality data 19 will be also stored in the BSU code change management master database 22 as master BSU code change data 23 and master dictionary system quality data 25 respectively. At a time of storing these data, the master database management unit 8 generates and manages Version Tree data 24 describing relationships among these data in order to carry out the version management of the dictionary.

(Configuration of the electronic catalog dictionary data)

Next, the contents of the electronic catalog dictionary data 10 or 15 to be stored in the electronic catalog dictionary editing database 14 and edited by the dictionary editor 1 will be described. Fig. 2 to Fig. 4 show exemplary configurations of the electronic catalog dictionary data 10 or 15.

Fig. 2 shows an example of class data in the electronic catalog dictionary data 10 or 15, where one line indicates information of one class. In this information, a

"CID" which is an ID for identifying the class internally, a "BSU" which describes a BSU code of the class, and a "parent class CID" which describes a CID of a class that is a parent on the hierarchy structure of classes will be automatically assigned by the dictionary editor 1 and the BSU code change management function 2 in this embodiment. Note that the electronic catalog dictionary data 10 or 15 in this embodiment contain associated information of the class as specified by IS013584 including a "Preferred Name" which indicates a name of the class, and this will be entered by a user. Also, a value of a "data quality level" in this electronic catalog dictionary data 10 or 15 will be written by the dictionary system quality check function 6.

Fig. 3 shows an example of attribute data in the electronic catalog dictionary data 10 or 15, where one line indicates information of one attribute. In this information, a "PID" which is an ID for identifying the attribute internally and a "BSU" which describes a BSU code of the attribute will be automatically assigned by the dictionary editor 1 and the BSU code change management function 2 in this embodiment. There is also associated information of the attribute as specified by IS013584 including a "Preferred Name" which indicates a name of the attribute, and this will be entered by a user. Also, a value of the data quality level will be written by the dictionary system quality check function 6.

Fig. 4 shows an example of class-attribute relationship data in the electronic catalog dictionary data 10 or 15, where one line indicates information of one class-attribute relationship. In this information, a "CID_scope" describes a class for which this attribute is defined, a "Visible" describes a list of classes that can be referred by this attribute, and "Applicable" describes a list of classes to which this attribute can be applied.

(Configuration of the BSU code change data)

Next, the contents of the BSU code change data 9 or 17 to be generated by the editing of the electronic catalog dictionary data 10 or 15 by the dictionary editor 1 and stored in the BSU code change management editing database 5 16 will be described. Fig. 5 and Fig. 6 show exemplary configurations of the BSU code change data 9 or 17.

Fig. 5 shows an example of BSU code change data for classes in the BSU code change data 9 or 17 where one line indicates information of one BSU code change event. In this 10 information, a "Status" indicates an event type which can take four values (VUP, RUP, NEW, OOD). Here, "VUP" and "RUP" indicate change events in accordance with the Version/Revision management specification of ISO13584 as shown in Figs. 28A and 28B. Also, "NEW" indicates one for 15 which there is a need to newly issue a BSU code as a result of a change event. Also, "OOD" indicates one for which there is a need to retire a BSU code as it is excluded from the dictionary system.

For each "Status", "CID" of the class with respect to 20 which the change is made, "BSU", and "Refer_to" and "Same_as" which indicate relationships of generation changes among classes are given. Using these two relationships, it is possible to access the registered class through the generation change, even in the case of 25 making access to the dictionary by using a retired BSU code which is already excluded from the dictionary system.

Fig. 6 shows an example of BSU code change data for attributes in the BSU code change data 9 or 17, where one line indicates information of one BSU code change event. In 30 this information, a "Status" indicates an event type which can take four values (VUP, RUP, NEW, OOD). Here, "VUP" and "RUP" indicate change events in accordance with the Version/Revision management specification of ISO13584 as shown in Figs. 28A and 28B. Also, "NEW" indicates one for 35 which there is a need to newly issue a BSU code as a result

of a change event. Also, "OOD" indicates one for which there is a need to retire a BSU code as it is excluded from the dictionary system.

For each "Status", "PID" of the attribute with respect
5 to which the change is made, "BSU", and "Refer_to" and
"Same_as" which indicate relationships of generation
changes among attributes are given. Using these two
relationships, it is possible to access the registered
attribute through the generation change, even in the case
10 of making access to the dictionary by using a retired BSU
code which is already excluded from the dictionary system.

(Configuration of Version Tree data)

Next, the Version Tree data to be stored in the BSU
code change management editing database 16 or the BSU code
15 change management master database 22 will be described.

Fig. 7 shows a model for expressing the Version Tree
data 24 and the Revision Tree data 18 used in Fig. 1 in
terms of EXPRESS-G, which is an ER model in which a
rectangle represents an entity and a line represents a
20 relation.

In Fig. 7, a "DB_Version" entity represents the master
electronic catalog dictionary data 21, a "Version_History"
entity represents the master BSU code change data 23, a
"DB_Revision" entity represents the editing electronic
25 catalog dictionary data 10, a "Revision_History" entity
represents the editing BSU code change data 17, and a
"DB_quality" entity represents the editing dictionary
system quality data 19 and the master dictionary system
quality data 25.

30 Fig. 8 shows an exemplary data description of the
Version Tree data 24 and the Revision Tree data 18, which
is described according to a model shown in Fig. 7, and
which will be used as information for the version
management of each data. In Fig. 8, a portion enclosed by
35 an enclosure 30 represents the Version Tree data 24, and a

portion enclosed by an enclosure 31 represents the Revision Tree data 18.

(Configuration of the dictionary system quality data)

Next, the contents of the dictionary system quality data 26 to be generated by the dictionary system quality check function 6 will be described.

Fig. 9 shows an example of the dictionary system quality data 26, where quality evaluation values are described from viewpoints of classes, attributes, and the entire dictionary itself. These values are calculated by the dictionary system quality check function 6 by evaluating the electronic catalog dictionary data 10 and the BSU code change data 9 according to the quality check rules 13.

(Processing by the electronic catalog maintenance system)

The electronic catalog maintenance system of this embodiment in the above described configuration carries out the electronic catalog maintenance operation as follows.

Fig. 10 shows a flow chart for an overall processing to be carried out by the electronic catalog maintenance system of this embodiment.

As shown in Fig. 10, when the dictionary editor 1 is activated (step S1), whether the electronic catalog dictionary data to be edited is a new one or an existing one is judged (entered) (step S2). Then, in the case of newly creating an electronic catalog dictionary, the processing for generating a new dictionary is carried out at the steps S3 and S4, whereas in the case of reading existing data, whether that data is stored in the electronic catalog dictionary editing database 14 or the electronic catalog dictionary master database 20 is judged (step S5). In the case of reading from the electronic catalog dictionary editing database 14, the processing of the step S11 is carried out, whereas in the case of reading

from the electronic catalog dictionary master database 20, the processing of the steps S6 to S10 is carried out.

Next, the electronic catalog dictionary data 10 so created or read will be changed by the editing processing 5 of the step S12. Then, the content of that change is checked by the processing of the step S13. Namely, the dictionary change status detection function 5 compares the editing content made by the dictionary editor 1 with the change type discrimination rules 12 to determine the 10 editing content as one of a Revision UP change, a Version UP change and a New BSU change, and generates the check result as the BSU code change data 9.

When it is desired to store the edited electronic catalog dictionary data 10 (step S14 YES and step S15 YES), 15 it is stored into the electronic catalog dictionary editing database 14 (step S18) after the summary generation processing of the step S16 and the quality check processing of the step S17. On the other hand, when it is desired to store the electronic catalog dictionary data 10 with a high 20 level of completeness as the master data (step S19 YES), it is stored into the electronic catalog dictionary master database 20 (step S23) after the quality of the dictionary is confirmed at the steps S20 and S21, and the BSU code is issued and the Version/Revision update is carried out at 25 the step S22.

In the following, each processing will be described in further detail. Fig. 11 shows a flow chart for a processing to be carried out by the master database management unit 8 in the processing of the step S3 of Fig. 10, that is the 30 processing for newly creating the electronic catalog dictionary data 10.

As shown in Fig. 11, in the processing of the step S3 described above, when the master database (name) is entered at the step S30, the Version Tree data 24 based on a model 35 shown in Fig. 7 is created and stored by the steps S31 to

S34, and the necessary information is transmitted to the editing database management unit 7 by the step S35. Then, an empty electronic catalog dictionary data 21 is created and stored by the step S36 and an empty BSU code change data 23 is created and stored by the step S37.

Fig. 12 shows a flow chart for the processing of the step S4 in Fig. 10, that is a processing to be carried out by the editing database management unit 7 in the processing for newly creating the electronic catalog dictionary data 10.

As shown in Fig. 12, the necessary information is received from the master database management unit 8 at the step S40, and the Revision Tree data 18 is created and stored by the steps S41 to S45. Then, an empty electronic catalog dictionary data 15 is created and stored by the step S46 and an empty BSU code change data 17 is created and stored by the step S47. At the same time, an empty electronic catalog dictionary data 10 is created and stored by the step S48 and an empty BSU code change data 9 is created and stored by the step S49.

Fig. 13 shows a flow chart for the processing of the step S13 in Fig. 10, that is a processing to be carried out by the dictionary change status detection function 5 in the processing for checking the change content of the edited electronic catalog dictionary data 10.

As shown in Fig. 13, the dictionary change event is detected at the step S100 and discriminated according to the change type discrimination rules 12 shown in Fig. 14 at the step S101. Then, depending on whether the event type is that related to the class or that related to the attribute (step S102), the subsequent steps S103 to S110 are carried out when the event type is that related to the class, whereas the subsequent steps S111 to S118 are carried out when the event type is that related to the attribute, so as to generate the BSU code change data 9.

Fig. 14 shows an example of the change type discrimination rules 12 describing the rules to be used in the processing of Fig. 13.

As shown in Fig. 14, the change type discrimination rules 12 are largely divided into rules for the product class change and the rules for the attribute change, and each rule describes a condition for judging whether each change is Revision UP, Version UP or New BSU, and a processing method suitable for each type. Note that these judgement condition and processing method are described in the IF-THEN format in this embodiment, but they may be described in any other format.

Then, as a result of the judgement according to the change type discrimination rules 12, if the change of the BSU code change data 9 is related to the class, whether that change is Revision UP, Version UP, or New BSU is checked, whether there is a class to be retired or not is checked, and the BSU code change data 9 is changed according to the rule to be applied. If the change of the BSU code change data 9 is related to the attribute, the rule to be applied is checked similarly.

Fig. 15 shows a flow chart for a processing to be carried out by the summary generation function 3 with respect to the class data in the processing of the step S16 of Fig. 10. Here, the processing is branched according to "Status" of each event described in the BSU code change data 9 and the status of BSU code issuance. By this processing, the redundant operation can be removed from the editing operation, and only significant changes including the BSU code change can be extracted.

Among symbols used in Fig. 15, "Status" indicates the "Status" attribute of the class BSU code change data, "BSU" indicates the "BSU" attribute of the class BSU code change data, "CID" indicates the "CID" attribute of the class BSU code change data, "Same_as" indicates "Same_as" attribute

of the class BSU code change data, "Refer_to" indicates the "Refer_to" attribute of the class BSU code change data, and "A.Status" indicates the "Status" attribute value of the class BSU code change data A.

5 Also, among alphabets attached to these symbols, "R" indicates the tail end data of the class BSU code change data, "X" indicates the class BSU code change data whose CID value is equal to "R.Refer_to" value, "S" indicates the class BSU code change data whose CID value is that of the
10 parent (upper level) class of "R.CID" value and whose "Status" value is "NEW", "Y" indicates the class BSU code change data whose "Status" value is "NEW" and whose CID value is equal to "R.CID" value, "Z" indicates the class BSU code change data whose "Status" value is "OOD" and
15 whose "Refer_to" value is equal to "Y.CID" value, "T" indicates the class BSU code change data whose "Status" value is "VUP" or "RUP" and whose CID value is equal to "R.CID" value, and "K" indicates the class BSU code change data whose "Status" value is equal to "R.Status" value and
20 whose CID value is equal to "R.CID" value.

First, the BSU code change data related to the class is read (step S201), the tail end data R is detected (step S202), and the processing is terminated when the data R does not exist (step S203 NO), or otherwise the processing
25 from the step S204 on is carried out.

In the processing from the step S204 on, whether "R.Status" value is "OOD" or not is judged (step S204), and if "R.Status" is "OOD", whether "R.BSU" value is "NULL" or not is judged (step S205).

30 When it is judged that "R.BSU" value is "NULL" at the step S205, Y for which "Y.Status" value is "NEW" and "Y.CID" value is equal to "R.CID" value is obtained, Z for which "Z.Status" value is "OOD" and "Z.Refer_to" value is equal to "Y.CID" value is obtained, and X for which
35 "X.Status" value is "NEW" and "X.CID" value is equal to

"R.Refer_to" value is obtained (steps S209, S210, S211). Then, whether such X and Z exist or not is judged (steps S212, S213, S215). Then, depending on a combination of the existing X and Z, "NULL" is substituted into "Z.Refer_to" (step S214), "R.CID" is replaced by "Z.CID" and "X.CID" is substituted into "X.Refer_to" (steps S216, S217), "R.CID" is deleted (step S218), every T for which "T.Status" is "VUP" or "RUP" and "T.CID" value is equal to "R.CID" value is obtained (step S219), and R, Y and T are deleted (step S220).

When it is judged that "R.BSU" value is not "NULL" at the step S205, X for which "X.CID" value is equal to "R.Refer_to" value is obtained (step S206), and if such X does not exist (step S207 NO), the parent class S of "R.CID" is obtained and "S.CID" is set to "R.Refer_to" (step S208).

On the other hand, when it is judged that the "R.Status" value is not "OOD" at the step S204, whether "R.Status" value is "NEW" or not is judged (step S221), and if it is "NEW", every K for which "K.Status" value is equal to "R.Status" value and "K.CID" value is equal to "R.CID" value is obtained (step S222) and K is deleted (step S223). Then, whether "R.BSU" is "NULL" or not is judged (step S224), and if so R is deleted (step S225).

After R is obtained in this way, the data immediately before R is substituted into this obtained data R (step S226), and the next processing is started by the loop processing.

Fig. 16 shows a flow chart for a processing to be carried out by the summary generation function 3 with respect to the attribute in the processing of the step S16 of Fig. 10. Here, the processing is branched according to "Status" of each event described in the BSU code change data 9 and the status of BSU code issuance, similarly as Fig. 15. By this processing, the redundant operation such

as a change related to the class that was once newly created but then deleted on the second thought, for example, can be removed from the editing operation, and only significant changes including the BSU code change can
5 be extracted.

Among symbols used in Fig. 16, "PID" indicates the "PID" attribute of the attribute BSU code change data, and "A.PID" indicates the "PID" attribute value of the class BSU code change data A. Also, among alphabets attached to
10 these symbols, "R" indicates the tail end data of the attribute BSU code change data, "X" indicates the attribute BSU code change data whose "Status" value is "NEW" and whose PID value is equal to "R.Refer_to" value, "Y" indicates the attribute BSU code change data whose "Status"
15 value is "NEW" and whose PID value is equal to "R.PID" value, "Z" indicates the attribute BSU code change data whose "Status" value is "OOD" and whose "Refer_to" value is equal to "Y.PID" value, "T" indicates the attribute BSU code change data whose "Status" value is "VUP" or "RUP" and
20 whose PID value is equal to "R.PID" value, and "K" indicates the attribute BSU code change data whose "Status" value is equal to "R.Status" value and whose PID value is equal to "R.PID" value.

First, the BSU code change data related to the
25 attribute is read (step S301), the tail end data R is detected (step S302), and the processing is terminated when the data R does not exist (step S303 NO), or otherwise the processing from the step S304 on is carried out.

In the processing from the step S304 on, whether
30 "R.Status" value is "OOD" or not is judged (step S304), and if "R.Status" is "OOD", whether "R.BSU" value is "NULL" or not is judged (step S305).

When it is judged that "R.BSU" value is "NULL" at the step S305, Y for which "Y.Status" value is "NEW" and
35 "Y.PID" value is equal to "R.PID" value is obtained, Z for

which "Z.Status" value is "OOD" and "Z.Refer_to" value is equal to "Y.PID" value is obtained, and X for which "X.Status" value is "NEW" and "X.PID" value is equal to "R.Refer_to" value is obtained (steps S306, S307, S308).

- 5 Then, whether such X and Z exist or not is judged (steps S309, S310, S312). Then, depending on a combination of the existing X and Z, "NULL" is substituted into "Z.Refer_to" (step S311), "R.PID" is replaced by "Z.PID" and "X.PID" is substituted into "X.Refer_to" (steps S313, S314), "R.PID" is deleted (step S315), every T for which "T.Status" is "VUP" or "RUP" and "T.PID" value is equal to "R.PID" value is obtained (step S316), and R, Y and T are deleted (step S317).

- On the other hand, when it is judged that the
- 15 "R.Status" value is not "OOD" at the step S304, whether "R.Status" value is "NEW" or not is judged (step S318), and if it is "NEW", every K for which "K.Status" value is equal to "R.Status" value and "K.PID" value is equal to "R.PID" value is obtained (step S319) and K is deleted (step S320).
- 20 Then, whether "R.BSU" is "NULL" or not is judged (step S321), and if so R is deleted (step S322).

- After R is obtained in this way, the data immediately before R is substituted into this obtained data R (step S323), and the next processing is started by the loop
- 25 processing. When it is judged that "R.BSU" value is not "NULL" at the step S305, and when it is judged that "R.Status" value is "NEW" at the step S318, this step S323 is carried out immediately.

(Change of the BSU code)

- 30 In the following, the concrete examples of the electronic catalog maintenance by the electronic catalog maintenance system described above will be described. Fig. 17 shows an exemplary BSU code change by the dictionary data editing processing of the step S12 of Fig. 109.

- 35 First, as shown in a part (a) of Fig. 17, suppose that

B1 is deleted and the note of C0 is changed. As a result, as shown in a part (b) of Fig. 17, C2 and C3 located below the deleted B1 are directly connected below A0 as C4 and C5, and Revision UP of C0 for which the note is changed is carried out. At this point, C2 and C3 located below the deleted B1 are set in retired states, and V4, V5 and V6 that are belonging only to B1, C2 and C3 are also set in retired states.

Next, when C4 and C5 are merged, as shown in a part (c) of Fig. 17, a new C6 is created instead of the merged C4 and C5, and C4 and C5 are set in retired states. At this point, V7, V8, V9 and V10 that are belonging only to the merged C4 and C5 are also set in retired states, and V11, V12, V13 and V14 are newly added instead of them.

(Summary generation)

In the case of making such a change in the electronic catalog dictionary data, the BSU code change data for the class and the attribute created by the change and their summary will be generated as follows.

A part (a) of Fig. 18 shows the class BSU code change data created by the dictionary change status detection function 5 when the operations of Fig. 17 are carried out. Then, by carrying out the processing of Fig. 15 described above with respect to these data, these data are updated as shown in parts (b) to (e) of Fig. 18. In this way, it can be seen that only the significant change operations for the class are extracted.

Fig. 19 shows the attribute BSU code change data created by the change of Fig. 17 and a manner of generating their summary.

A part (a) of Fig. 19 shows the attribute BSU code change data created by the dictionary change status detection function 5 when the operations of Fig. 17 are carried out. Then, by carrying out the processing of Fig. 16 described above with respect to these data, these data

are updated as shown in parts (b) to (i) of Fig. 19. In this way, it can be seen that only the significant change operations for the attribute are extracted.

(Quality check of the dictionary)

5 Next, the operation of the dictionary quality check function, which is one of the functions of the electronic catalog maintenance system of this embodiment, will be described. Fig. 20 shows a flow chart for a processing of the dictionary system quality check function 6 to generate
10 the dictionary system quality data 26 in the processing of the step S17 of Fig. 10.

First, by the steps S401 to S407 of Fig. 20, the class BSU code change data that became the summary are read, a top data R is obtained, the quality of individual class is
15 evaluated according to the quality check rules 13, and its value is written into the "data quality level" field of the class data.

Here, as the quality check rules 13, tables formed by the evaluation conditions and the evaluation functions as
20 shown in Fig. 21A can be used, for example. As shown in Fig. 21A, the quality check rules 13 can be formed from the evaluation of individual class, the evaluation of individual attribute, the evaluation regarding the class hierarchy structure, the evaluation regarding the attribute overlaps, and the evaluation regarding the entire
25 dictionary, for example. Note that the quality evaluation is made by calculating the quality level by using such quality check rules 13 in this embodiment, but it is also possible to account for the importance of associated items,
30 and it is also possible to set evaluation functions based on different evaluation axes.

Then, at the steps S408 and S409, the overall quality of the class data such as the consistency of the hierarchy structure for example is evaluated according to the quality
35 check rules 13, and added to the dictionary system quality

data 26. In addition, at the steps S410 to S416, the quality of individual attribute is evaluated according to the quality check rules 13 and its value is written into the "data quality level" field of the attribute data.

5 Next, at the steps S417 and S418, the overall quality of the attribute data such as the overlapping existence of identical definitions for example is evaluated according to the quality check rules 13, and added to the dictionary system quality data 26. Then, at the step S419, the
10 dictionary system quality data 26 are evaluated according to the quality check rules 13, and the quality level of the entire electronic catalog dictionary is calculated and added to the dictionary system quality data 26.

(Processing by the editing database management unit 7)

15 The data produced by each processing described above are stored by the editing database management unit 7. Fig. 22 shows a flow chart for a processing of the editing database management unit 7 to store data in the processing of the step S18 of Fig. 10.

20 As shown in Fig. 22, at the steps S501 to S509, the DB_Revision entity and the Revision_History entity for describing relationships between the BSU code change data 9 and the electronic catalog dictionary data 10 that are desired to be stored in order to carry out the revision
25 management of the dictionary are generated, and stored into the Revision Tree data 18.

Next, at the step S510 to S513, the quality information of the dictionary is obtained from the dictionary system quality data 26, and the DB_quality
30 entity is generated and stored in the Revision Tree data 18 similarly. Then, at the step S514, the BSU code change data 9 created by the summary generation function 3 are stored into the BSU code change management editing database 16 as the editing BSU code change data 17. Finally, at the step
35 S515, the electronic catalog dictionary data 10 is stored

into the electronic catalog dictionary editing database 14
as the editing electronic catalog dictionary data 15.

(Processing of BSU codes)

Next, the BSU code change management processing by the
5 BSU code update function 4 will be described. Fig. 23 shows
a flow chart for a processing by the BSU code update
function 4 to update the class data in the processing of
the step S22 of Fig. 10, and Fig. 24 shows a flow chart for
a processing by the BSU code update function 4 to update
10 the attribute data in the processing of the step S22 of
Fig. 10.

In the case of the processing for updating the class
data, as shown in Fig. 23, the processing is carried out
according to the "Status" value of the BSU code change data
15 9 read by the step S601.

Namely, when it is judged that "Status" is "VUP" at
the step S603, the Version UP is carried out at the steps
S604 to S608. On the other hand, when it is judged that
"Status" is not "VUP" at the step S603 and it is judged
20 that "Status" is "RUP" at the step S609, the Revision UP is
carried out at the steps S610 to S614. Else, when it is
judged that "Status" is not "VUP" at the step S603 and it
is judged that "Status" is not "RUP" at the step S609,
whether "Status" is "NEW" or not is judged (step S615), and
25 if "Status" is "NEW", the steps S616 to S618 are carried
out according to the BSU code issuance rules 11 as shown in
Fig. 21B, such that the new BSU code is issued and written
into the BSU field of the class data.

Also, in the case of the processing for updating the
30 attribute data, as shown in Fig. 24, the processing is
carried out according to the "Status" value of the BSU code
change data 9 read by the step S701.

Namely, when it is judged that "Status" is "VUP" at
the step S703, the Version UP is carried out at the steps
35 S704 and S705. On the other hand, when it is judged that

"Status" is not "VUP" at the step S703 and it is judged that "Status" is "RUP" at the step S706, the Revision UP is carried out at the steps S707 and S708. Else, when it is judged that "Status" is not "VUP" at the step S703 and it is judged that "Status" is not "RUP" at the step S706, whether "Status" is "NEW" or not is judged (step S709), and if "Status" is "NEW", the steps S710 to S712 are carried out according to the BSU code issuance rules 11 as shown in Fig. 21B, such that the new BSU code is issued and written into the BSU field of the attribute data.

(Processing by the master database management unit 8)

The electronic catalog dictionary data with a high level of completeness are stored into the electronic catalog dictionary master database 20 as the master electronic catalog dictionary data 21. Fig. 25 shows a flow chart for a processing of the master database management unit 8 to store data in the processing of the step S23 of Fig. 10.

As shown in Fig. 25, at the steps S801 to S806, the DB_Version entity and the Version_History entity for describing relationships between the BSU code change data 9 and the electronic catalog dictionary data 10 that are desired to be stored in order to carry out the version management of the dictionary are generated, and stored into the Version Tree data 24.

Next, at the step S807 to S810, the quality information of the dictionary is obtained from the dictionary system quality data 26, and the DB_quality entity is generated and stored in the Version Tree data 24 similarly. Then, at the step S811, the BSU code change data 9 created by the summary generation function 3 are stored into the BSU code change management master database 22 as the master BSU code change data 23. Finally, at the step S812, the electronic catalog dictionary data 10 is stored into the electronic catalog dictionary master database 20

as the master electronic catalog dictionary data 21.

(Electronic catalog maintenance program)

Note that the electronic catalog maintenance system described above can be realized by producing an electronic catalog maintenance program described in a prescribed programming language and installing this maintenance program into a general purpose computer such as PC, for example.

Namely, an electronic catalog maintenance software can be formed by a program for detecting the change status of the electronic catalog dictionary data 10 due to the editing by the dictionary editor 1 or the like and generating the BSU code change data 9 when the change that is out of the standard such as ISO13584 is made, and a program for recording the changed electronic catalog dictionary data 10 and the BSU code change data 9.

Note that in this electronic catalog maintenance software, it is preferable to include a program for generating the summary by simplifying the BSU code change data 9 by deleting the redundant portion from the change history of the BSU code change data 9 as described above.

This electronic catalog maintenance software may also include a program for setting the BSU codes used before the change in retired states when the change status is out of the standard such as ISO13584 and newly issuing corresponding codes to the catalog data or the dictionary data relevant to the out-of-standard change, and a program for generating and storing the BSU code change data 9 that records the correspondence between the retired BSU codes and the newly issued BSU codes.

This electronic catalog maintenance software may also include a program for evaluating the quality of the electronic catalog dictionary system and each element constituting the changed electronic catalog dictionary data 10 according to the quality check rules 13, generating the

dictionary system quality data 26, and storing the dictionary system quality data 26 into the BSU code change management editing database 16.

The electronic catalog maintenance software so
5 produced can be recorded on recording media 116-119 that are readable by a general purpose computer 115 as shown in Fig. 26. More specifically, as shown in Fig. 26, this electronic catalog maintenance software can be recorded on computer readable recording media such as a magnetic
10 recording medium like a floppy disk 116 or a cassette tape 119, an optical disk like a CD-ROM 117, and a RAM card 118.

Then, by using such computer readable recording media that record this electronic catalog maintenance software, it is possible to easily realize storing, carrying, and
15 installing of a useful program that has an effect of enabling the efficient electronic catalog change management and ensuring generality of the electronic catalog by carrying out the comprehensive version management for the electronic catalog dictionary data relevant to the change
20 operation.

As described, according to the electronic catalog maintenance system of the present invention, it becomes possible to enable the efficient electronic catalog change management and ensure generality of the electronic catalog
25 by carrying out the comprehensive version management for the electronic catalog dictionary data relevant to the change operation such that the electronic catalog can be utilized without requiring a major modification to the existing systems.

30 Here, the prescribed electronic catalog standard can be any international standard such as ISO13584 (Parts Library) and IEC61360, for example. Also, the product classification information can be given by "product class (class)" or "attribute item (property)", for example. Also,
35 the identifier can be given by BSU code, for example.

Also, the out-of-standard changes include addition or deletion of an intermediate hierarchy, issuance of new identifier, and a change of the tree structure that causes an occurrence of an identifier in a retired state. This change status can be detected according to Version/Revision updates, presence or absence of a new identifier (ID), and presence or absence of an identifier (ID) in a retired state, for example.

Thus, according to the present invention, it is possible to make the electronic catalog change management easier by comparing the electronic catalog before and after the change by utilizing the history information, and it is possible to improve degrees of freedom in the electronic catalog change operations by enabling the out-of-standard changes.

Also, according to the present invention, it is possible to make the change processing management easier by deleting unnecessary change processing (of the case where there is no change eventually or the case where there is only a minor change) such as those occurring in the case of the editing in which the changes are made repeatedly by trial and error, for example, from the history information.

Also, according to the present invention, it is possible to make access to the contents relevant to the out-of-standard change from a newly issued identifier, so that this system can be used in the legacy system and it is possible to ensure usefulness and generality of the electronic catalog.

Also, according to the present invention, it is possible to realize the change status management in accordance with the international standard such as ISO13584 (Parts Library) and IEC61360, for example, so that it is possible to improve generality of the electronic catalog.

Also, according to the present invention, it is possible to distinguish a minor change at a time of the

change operation and a formal change at a time of
disclosure as a formal version up by selecting the storage
unit according to the level of completeness of the
electronic catalog, so that it is possible to provide the
5 high quality dictionary.

Also according to the present invention, it is
possible to improve the quality of the electronic catalog
by evaluating the quality of the electronic catalog
dictionary system and each element constituting the changed
10 electronic catalog by using the dictionary system quality
check function.

It is also to be noted that, besides those already
mentioned above, many modifications and variations of the
above embodiments may be made without departing from the
15 novel and advantageous features of the present invention.
Accordingly, all such modifications and variations are
intended to be included within the scope of the appended
claims.

20

25

30

35

WHAT IS CLAIMED IS:

1. An electronic catalog maintenance system, comprising:
 - a dictionary database configured to store dictionary
 - 5 data of an electronic catalog, the dictionary data being given in a form of a tree structure formed by identifiers for uniquely identifying classes classifying products and attributes of the products;
 - an editing unit configured to edit the dictionary data
 - 10 stored by the dictionary database by making changes including standard changes defined by a prescribed standard and out-of-standard changes not defined by the prescribed standard;
 - a change status detection unit configured to detect a
 - 15 status of each change made by the editing unit, and to generate an identifier change data indicating the status of each change made by the editing unit and updates of identifiers to be made in the distrionary data;
 - an identifier update unit configured to issue a new
 - 20 identifier of each class or attribute created by an out-of-standard change made by the editing unit, and to retire an old identifier of each class or attribute deleted by an out-of-standard change made by the editing unit, according to the identifier change data generated by the change
 - 25 status detection unit; and
 - an identifier change database configured to store the identifier change data generated by the change status detection unit.
- 30 2. The system of claim 1, wherein the change status detection unit generates the identifier change data that indicates the updates of identifiers to be made such that both new identifiers and old identifiers can be used in accessing the classes and the attributes after updating by
- 35 the identifier update unit, by referring to the identifier

change data stored in the identifier change database.

3. The system of claim 1, wherein the editing unit makes the standard changes in forms of version/revision updates defined by ISO13584 standard, and the out-of-standard changes not defined by ISO13584.

4. The system of claim 1, wherein the change status detection unit detects the status of each change made by the editing unit according to occurrences of version/revision updates, issuance of the new identifier, and retirement of the old identifier.

5. The system of claim 1, further comprising:
a summary generation unit configured to simplify the identifier change data by deleting any redundant portion from the identifier change data generated by the change status detection unit;

wherein the identifier change database stores the identifier change data as simplified by the summary generation unit.

6. The system of claim 1, further comprising:
a quality check unit configured to generate a dictionary system quality data by evaluating qualities of the dictionary data as a whole and each element constituting the dictionary data according to prescribed quality check rules, after the dictionary data are edited by the editing unit;

wherein the identifier change database also stores the dictionary system quality data generated by the quality check unit.

7. The system of claim 1, wherein the dictionary database includes:

an editing dictionary database for storing a version of the dictionary data for which editing operations are in progress; and

a master dictionary database for storing a version of the dictionary data for which the editing operations are completed.

8. The system of claim 1, wherein the identifier change database includes:

an editing identifier change database for storing the identifier change data corresponding to a version of the dictionary data for which editing operations are in progress; and

a master identifier change database for storing the identifier change data corresponding to a version of the dictionary data for which the editing operations are completed.

9. An electronic catalog maintenance method, comprising the steps of:

(a) storing dictionary data of an electronic catalog in a dictionary database, the dictionary data being given in a form of a tree structure formed by identifiers for uniquely identifying classes classifying products and attributes of the products;

(b) editing the dictionary data stored by the dictionary database by making changes including standard changes defined by a prescribed standard and out-of-standard changes not defined by the prescribed standard;

(c) detecting a status of each change made by the step (b), and generating an identifier change data indicating the status of each change made by the step (b) and updates of identifiers to be made in the dictionary data;

(d) issuing a new identifier of each class or attribute created by an out-of-standard change made by the step (b),

and releasing an old identifier of each class or attribute deleted by an out-of-standard change made by the step (b), according to the identifier change data generated at the step (c); and

- 5 (e) storing the identifier change data generated by the step (c) in an identifier change database.

10 10. The method of claim 9, wherein the step (c) generates the identifier change data that indicates the updates of identifiers to be made such that both new identifiers and old identifiers can be used in accessing the classes and the attributes after updating by the step (d), by referring to the identifier change data stored in the identifier change database.

15

11. The method of claim 9, wherein the step (b) makes the standard changes in forms of version/revision updates defined by ISO13584 standard, and the out-of-standard changes not defined by ISO13584.

20

12. The method of claim 9, wherein the step (c) detects the status of each change made by the step (b) according to occurrences of version/revision updates, issuance of the new identifier, and retirement of the old identifier.

25

13. The method of claim 9, further comprising the step of:
(f) simplifying the identifier change data by deleting any redundant portion from the identifier change data generated by the step (c);

30 wherein the step (e) stores the identifier change data as simplified by the step (f) into the identifier change database.

14. The method of claim 9, further comprising the step of:
35 (g) generating a dictionary system quality data by

evaluating qualities of the dictionary data as a whole and each element constituting the dictionary data according to prescribed quality check rules, after the dictionary data are edited by the step (b);

5 wherein the step (e) also stores the dictionary system quality data generated by the step (g) in the identifier change database.

15. The method of claim 9, wherein the step (a) stores a
10 version of the dictionary data for which editing operations are in progress, into an editing dictionary database of the dictionary database; and

 the method further comprises the step of storing a
version of the dictionary data for which the editing
15 operations are completed, into a master dictionary database of the dictionary database.

16. The method of claim 9, wherein the step (e) stores the
20 identifier change data corresponding to a version of the dictionary data for which editing operations are in progress, into an editing identifier change database of the identifier change database; and

 the method further comprises the step of storing the
identifier change data corresponding to a version of the
25 dictionary data for which the editing operations are completed, into a master identifier change database of the identifier change database.

17. A computer usable medium having computer readable
30 program codes embodied therein for causing a computer to function as an electronic catalog maintenance system, the computer readable program codes include:

 a first computer readable program code for causing
said computer to store dictionary data of an electronic
35 catalog in a dictionary database, the dictionary data being

given in a form of a tree structure formed by identifiers for uniquely identifying classes classifying products and attributes of the products;

a second computer readable program code for causing
5 said computer to edit the dictionary data stored by the dictionary database by making changes including standard changes defined by a prescribed standard and out-of-standard changes not defined by the prescribed standard;

a third computer readable program code for causing
10 said computer to detect a status of each change made by the editing unit, and to generate an identifier change data indicating the status of each change made by the editing unit and updates of identifiers to be made in the dictionary data;

15 a fourth computer readable program code for causing said computer to issue a new identifier of each class or attribute created by an out-of-standard change made by the editing unit, and to retire an old identifier of each class or attribute deleted by an out-of-standard change made by
20 the editing unit, according to the identifier change data generated by the third computer readable program code; and

a fifth computer readable program code for causing
said computer to store the identifier change data generated by the third computer readable program code in an
25 identifier change database.

18. The medium of claim 17, wherein the third computer readable program code generates the identifier change data that indicates the updates of identifiers to be made such
30 that both new identifiers and old identifiers can be used in accessing the classes and the attributes after updating by the fourth computer readable program code, by referring to the identifier change data stored in the identifier change database.

35

19. The medium of claim 17, wherein the second computer readable program code makes the standard changes in forms of version/revision updates defined by ISO13584 standard, and the out-of-standard changes not defined by ISO13584.

5

20. The medium of claim 17, wherein the third computer readable program code detects the status of each change made by the second computer readable program code according to occurrences of version/revision updates, issuance of the
10 new identifier, and retirement of the old identifier.

21. The medium of claim 17, further comprising:

a sixth computer readable program code for causing said computer to simplify the identifier change data by
15 deleting any redundant portion from the identifier change data generated by the third computer readable program code;

wherein the fifth computer readable program code stores the identifier change data as simplified by the sixth computer readable program code in the identifier
20 change database.

22. The medium of claim 17, further comprising:

a seventh computer readable program code for causing said computer to generate a dictionary system quality data
25 by evaluating qualities of the dictionary data as a whole and each element constituting the dictionary data according to prescribed quality check rules, after the dictionary data are edited by the second computer readable program code;

30 wherein the fifth computer readable program code also stores the dictionary system quality data generated by the seventh computer readable program code in the identifier change database.

35 23. The medium of claim 17, wherein the first computer

readable program code stores a version of the dictionary data for which editing operations are in progress, into an editing dictionary database of the dictionary database; and

the computer readable program codes further includes
5 an eighth computer readable program code for causing said computer to store a version of the dictionary data for which the editing operations are completed, into a master dictionary database of the dictionary database.

10 24. The medium of claim 17, wherein the first computer readable program code stores the identifier change data corresponding to a version of the dictionary data for which editing operations are in progress, into an editing
15 identifier change database of the identifier change database; and

the computer readable program codes further includes
an eighth computer readable program code for causing said
computer to store the identifier change data corresponding
to a version of the dictionary data for which the editing
20 operations are completed, into a master identifier change database of the identifier change database.

25

30

35

ABSTRACT OF THE DISCLOSURE

In an electronic catalog maintenance system using the dictionary data given in a form of a tree structure formed
5 by identifiers for uniquely identifying classes classifying products and attributes of the products, the dictionary data are edited by making changes including standard changes defined by a prescribed standard and out-of-
10 standard changes not defined by the prescribed standard, and an identifier change data indicating the status of each change made by the editing and updates of identifiers to be made in the dictionary data is generated. Then, a new
15 identifier of each class or attribute created by an out-of-standard change is issued and an old identifier of each class or attribute deleted by an out-of-standard change is retired according to the identifier change data, while storing the identifier change data in an identifier change database.


20

25

30

35

1/34



2/34

FIG. 2

CLASS DATA

CID	Preferred_ Name	BSU	PARENT CLASS CID	DATA QUALITY LEVEL
A0	CLASS A0	A001				A
B0	CLASS B0	A002	A001			A
B1	CLASS B1	A003	A001			A
C0	CLASS C0	A004	A002			B
C1	CLASS C1	A005	A002			B
C2	CLASS C2	A006	A003			C
C3	CLASS C3	A007	A003			D

FIG. 3

ATTRIBUTE DATA

PID	Preferred_ Name	BSU	DATA QUALITY LEVEL
V0	ATTRIBUTE V0	P001				A
V1	ATTRIBUTE V1	P002				A
V2	ATTRIBUTE V2	P003				A
V3	ATTRIBUTE V3	P004				B
V4	ATTRIBUTE V4	P005				B
V5	ATTRIBUTE V5	P006				B
V6	ATTRIBUTE V6	P007				B

FIG. 4

CLASS-ATTRIBUTE RELATIONSHIP DATA

PID	CID scope	Visible	Applicable
V0	A0	A0, B0, B1, C0, C1, C2, C3	A0, B0, B1, C0, C1, C2, C3
V1	B0	B0, C0, C1	B0, C0, C1
V2	C0	C0	NULL
V3	C1	C1	C1
V4	B1	B1, C2, C3	C3
V5	C2	C2	NULL
V6	C3	C3	NULL

3/34

FIG. 5

CLASS BSU CODE CHANGE DATA

Status	CID	BSU	Refer to	Same as
NEW	C4	NULL	NULL	C3
OOD	C3	A007	C4	NULL
RUP	C2	A006	NULL	NULL

※ VUP : Version UP
RUP : Revision UP
NEW : New BSU
OOD : Out of Dictionary


FIG. 6

ATTRIBUTE BSU CODE CHANGE DATA

Status	PID	BSU	Refer to	Same as
NEW	V7	NULL	NULL	V4
NEW	V8	NULL	NULL	V6
OOD	V6	P007	V8	NULL
RUP	V2	P003	NULL	NULL


4/34

FIG. 7



5/34

FIG. 8



6/34


FIG. 9

DICTIONARY SYSTEM QUALITY DATA

ID	CONTENT
C1	THERE IS ONE SUB-CLASS
V7	CONTENT IS SAME AS V3
V8	CONTENT IS SAME AS V4
V9	CONTENT IS SAME AS V5
CLASS SYSTEM	B


7/34

FIG. 10




8/34

FIG. 11




9/34

FIG. 12



10/34

FIG. 13



11/34

FIG. 14

RULE 1 :	IF (CHANGE OF PRODUCT CLASS) AND (CHANGE THAT IS Revision UP AS DESCRIBED IN ISO 13584-42) THEN (Revision UP OF PRODUCT CLASS)
RULE 2 :	IF (CHANGE OF PRODUCT CLASS) AND (CHANGE THAT IS Version UP AS DESCRIBED IN ISO 13584-42) THEN (Version UP OF PRODUCT CLASS)
RULE 3 :	IF (NEW CREATION OF END PRODUCT CLASS) THEN (New BSU OF OF PRODUCT CLASS)
RULE 4 :	IF (MERGE OF PRODUCT CLASS) THEN (New BSU OF PRODUCT CLASS) AND (UNUSED CLASS = PRODUCT CLASS TO BE MERGED)
RULE 5 :	IF (MOVE OF PRODUCT CLASS) AND (TOPOLOGY CHANGE) THEN (New BSU OF PRODUCT CLASS) AND (UNUSED CLASS = PRODUCT CLASS BEFORE MOVING)
RULE 6 :	IF (DELETE OF INTERMEDIATE PRODUCT CLASS) THEN (New BSU OF PRODUCT CLASS) AND (UNUSED CLASS = PRODUCT CLASS TO BE DELETED)
RULE 7 :	IF (INSERT OF INTERMEDIATE PRODUCT CLASS) THEN (New BSU OF PRODUCT CLASS)
RULE 8 :	IF (DELETE OF END PRODUCT CLASS) THEN (UNUSED CLASS = PRODUCT CLASS TO BE DELETED)
RULE 9 :	IF (CHANGE OF ATTRIBUTE) AND (CHANGE THAT IS Revision UP AS DESCRIBED IN ISO 13584-42) THEN (Revision UP OF ATTRIBUTE)
RULE 10 :	IF (CHANGE OF ATTRIBUTE) AND (CHANGE THAT IS Version UP AS DESCRIBED IN ISO 13584-42) THEN (Version UP OF ATTRIBUTE)
RULE 11 :	IF (NEW CREATION OF ATTRIBUTE) THEN (New BSU OF ATTRIBUTE)
RULE 12 :	IF (DELETE OF ATTRIBUTE) THEN (UNUSED ATTRIBUTE = ATTRIBUTE TO BE DELETED)
RULE 13 :	IF (CHANGE OF Name Scope OF ATTRIBUTE) THEN (New BSU OF ATTRIBUTE) AND (UNUSED ATTRIBUTE = ATTRIBUTE BEFORE CHANGE)

12/34

FIG. 15





FIG. 16

```
graph TD
    START([START]) --> S301[READ BSU CODE CHANGE DATA REGARDING ATTRIBUTE]
    S301 --> S302[OBTAIN TAIL END DATA R]
    S302 --> LOOP1[LOOP]
    LOOP1 --> S304{DOSE R EXIST?}
    S304 -- NO --> RETURN([RETURN])
    S304 -- YES --> S303{R.Status="OOD"?}
    S303 -- NO --> S318{R.Status="NEW"?}
    S303 -- YES --> S305{R.BSU=NULL?}
    S318 -- YES --> S305
    S318 -- NO --> S319[OBTAIN EVERY K THAT SATISFIES K.Status=R.Status AND K.PID=R.PID]
    S305 -- YES --> S306[OBTAIN Y THAT SATISFIES Y.Status="NEW" AND Y.PID=R.PID]
    S305 -- NO --> S319
    S306 --> S307[OBTAIN Z THAT SATISFIES Z.Status="OOD" AND Z.Refer_to=Y.PID]
    S307 --> S308[OBTAIN X THAT SATISFIES X.Status="NEW" AND X.PID=R.Refer_to]
    S308 --> S309{DOSE X EXIST?}
    S309 -- YES --> S312{DOSE Z EXIST?}
    S309 -- NO --> S310{DOSE Z EXIST?}
    S310 -- YES --> S311[Z.Refer_to=NULL]
    S311 --> S316[OBTAIN EVERY T THAT SATISFIES T.Status="VUP" OR "RUP" AND T.PID=R.PID]
    S310 -- NO --> S313[REPLACE R.PID LOCATED AT X.Same as BY Z.PID]
    S313 --> S314[X.Refer_to=X.PID]
    S314 --> S316
    S312 -- YES --> S313
    S312 -- NO --> S315[DELETE R.PID LOCATED AT X.Same_as]
    S315 --> S316
    S316 --> S317[DELETE R  
DELETE Y  
DELETE T]
    S317 --> S323[DATA IMMEDIATELY BEFORE R->R]
    S323 --> LOOP2[LOOP]
```


14/34

FIG. 17



15/34

FIG. 18

CLASS BSU CODE CHANGE DATA

(a)

Status	CID	BSU	Refer to	Same as
NEW	C4	NULL	NULL	C2
NEW	C5	NULL	NULL	C3
OOD	C2	A007	C4	NULL
OOD	C3	A008	C5	NULL
RUP	C0	A006	NULL	NULL
NEW	C6	NULL	NULL	(C4, C5)
OOD	C4	NULL	C6	NULL
OOD	C5	NULL	C6	NULL



(b)

Status	CID	BSU	Refer to	Same as
NEW	C4	NULL	NULL	C2
NEW	C5	NULL	NULL	C3
OOD	C2	A007	C4	NULL
OOD	C3	A008	C6	NULL
RUP	C0	A006	NULL	NULL
NEW	C6	NULL	NULL	(C4, C3)
OOD	C4	NULL	C6	NULL
OOD	C5	NULL	C6	NULL



(c)

Status	CID	BSU	Refer to	Same as
NEW	C4	NULL	NULL	C2
OOD	C2	A007	C4	NULL
OOD	C3	A008	C6	NULL
RUP	C0	A006	NULL	NULL
NEW	C6	NULL	NULL	(C4, C3)
OOD	C4	NULL	C6	NULL



(d)

Status	CID	BSU	Refer to	Same as
NEW	C4	NULL	NULL	C2
OOD	C2	A007	C6	NULL
OOD	C3	A008	C6	NULL
RUP	C0	A006	NULL	NULL
NEW	C6	NULL	NULL	(C2, C3)
OOD	C4	NULL	C6	NULL



(e)

Status	CID	BSU	Refer to	Same as
OOD	C2	A007	C6	NULL
OOD	C3	A008	C6	NULL
RUP	C0	A006	NULL	NULL
NEW	C6	NULL	NULL	(C2, C3)

16/34
FIG. 19

ATTRIBUTE BSU CODE CHANGE DATA

(a)

Status	PID	BSU	Refer to	Same as
NEW	V7	NULL	NULL	V4
NEW	V8	NULL	NULL	V5
NEW	V9	NULL	NULL	V4
NEW	V10	NULL	NULL	V6
OOD	V4	P004	(V7, V9)	NULL
OOD	V5	P005	V8	NULL
OOD	V6	P006	V10	NULL
NEW	V11	NULL	NULL	V4
NEW	V12	NULL	NULL	V5
NEW	V13	NULL	NULL	V4
NEW	V14	NULL	NULL	V6
OOD	V7	NULL	V11	NULL
OOD	V8	NULL	V12	NULL
OOD	V9	NULL	V13	NULL
OOD	V10	NULL	V14	NULL

(b)

Status	PID	BSU	Refer to	Same as
NEW	V7	NULL	NULL	V4
NEW	V8	NULL	NULL	V5
NEW	V9	NULL	NULL	V4
NEW	V10	NULL	NULL	V6
OOD	V4	P004	(V7, V9)	NULL
OOD	V5	P005	V8	NULL
OOD	V6	P006	V14	NULL
NEW	V11	NULL	NULL	V7
NEW	V12	NULL	NULL	V8
NEW	V13	NULL	NULL	V9
NEW	V14	NULL	NULL	V6
OOD	V7	NULL	V11	NULL
OOD	V8	NULL	V12	NULL
OOD	V9	NULL	V13	NULL
OOD	V10	NULL	V14	NULL

(c)

Status	PID	BSU	Refer to	Same as
NEW	V7	NULL	NULL	V4
NEW	V8	NULL	NULL	V5
NEW	V9	NULL	NULL	V4
OOD	V4	P004	(V7, V9)	NULL
OOD	V5	P005	V8	NULL
OOD	V6	P006	V14	NULL
NEW	V11	NULL	NULL	V7
NEW	V12	NULL	NULL	V8
NEW	V13	NULL	NULL	V9
NEW	V14	NULL	NULL	V6
OOD	V7	NULL	V11	NULL
OOD	V8	NULL	V12	NULL
OOD	V9	NULL	V13	NULL

(d)

Status	PID	BSU	Refer to	Same as
NEW	V7	NULL	NULL	V4
NEW	V8	NULL	NULL	V5
NEW	V9	NULL	NULL	V4
OOD	V4	P004	(V7, V13)	NULL
OOD	V5	P005	V8	NULL
OOD	V6	P006	V14	NULL
NEW	V11	NULL	NULL	V7
NEW	V12	NULL	NULL	V8
NEW	V13	NULL	NULL	V4
NEW	V14	NULL	NULL	V6
OOD	V7	NULL	V11	NULL
OOD	V8	NULL	V12	NULL
OOD	V9	NULL	V13	NULL

(e)

Status	PID	BSU	Refer to	Same as
NEW	V7	NULL	NULL	V4
NEW	V8	NULL	NULL	V5
OOD	V4	P004	(V7, V13)	NULL
OOD	V5	P005	V8	NULL
OOD	V6	P006	V14	NULL
NEW	V11	NULL	NULL	V7
NEW	V12	NULL	NULL	V8
NEW	V13	NULL	NULL	V4
NEW	V14	NULL	NULL	V6
OOD	V7	NULL	V11	NULL
OOD	V8	NULL	V12	NULL

(f)

Status	PID	BSU	Refer to	Same as
NEW	V7	NULL	NULL	V4
NEW	V8	NULL	NULL	V5
OOD	V4	P004	(V7, V13)	NULL
OOD	V5	P005	V12	NULL
OOD	V6	P006	V14	NULL
NEW	V11	NULL	NULL	V7
NEW	V12	NULL	NULL	V5
NEW	V13	NULL	NULL	V4
NEW	V14	NULL	NULL	V6
OOD	V7	NULL	V11	NULL
OOD	V8	NULL	V12	NULL

(g)

Status	PID	BSU	Refer to	Same as
NEW	V7	NULL	NULL	V4
OOD	V4	P004	(V7, V13)	NULL
OOD	V5	P005	V12	NULL
OOD	V6	P006	V14	NULL
NEW	V11	NULL	NULL	V7
NEW	V12	NULL	NULL	V5
NEW	V13	NULL	NULL	V4
NEW	V14	NULL	NULL	V6
OOD	V7	NULL	V11	NULL

(h)


Status	PID	BSU	Refer to	Same as
NEW	V7	NULL	NULL	V4
OOD	V4	P004	(V7, V13)	NULL
OOD	V5	P005	V12	NULL
OOD	V6	P006	V14	NULL
NEW	V11	NULL	NULL	V4
NEW	V12	NULL	NULL	V5
NEW	V13	NULL	NULL	V4
NEW	V14	NULL	NULL	V6
OOD	V7	NULL	V11	NULL

(i)

Status	PID	BSU	Refer to	Same as
OOD	V4	P004	(V11, V13)	NULL
OOD	V5	P005	V12	NULL
OOD	V6	P006	V14	NULL
NEW	V11	NULL	NULL	V4
NEW	V12	NULL	NULL	V5
NEW	V13	NULL	NULL	V4
NEW	V14	NULL	NULL	V6

17/34

FIG. 20



18/34

FIG. 21A

RULE 1:	IF (E=PRODUCT CLASS) AND (INDIVIDUAL CHECK) THEN(E.QUALITY LEVEL=EVALUATION FUNCTION F1 (E))
RULE 2:	IF (E=ATTRIBUTE CLASS) AND (INDIVIDUAL CHECK) THEN(E.QUALITY LEVEL=EVALUATION FUNCTION F2(E))
RULE 3:	IF (E=PRODUCT CLASS) AND (SYSTEM CHECK) THEN(SYSTEM QUALITY LEVEL L1=EVALUATION FUNCTION F3 (E))
RULE 4:	IF (E=ATTRIBUTE CLASS) AND (SYSTEM CHECK) THEN(SYSTEM QUALITY LEVEL L1=EVALUATION FUNCTION F4(E))
RULE 5:	IF (E=DICTIONARY) THEN(SYSTEM QUALITY LEVEL L1=EVALUATION FUNCTION F5(E))


EVALUATION FUNCTION 1:	IF((Y=# OF ATTRIBUTES DESCRIBED IN X/ # OF ATTRIBUTES OF X)>0.9)THEN QUALITY LEVEL="A"
	ELSE IF (0.9 \geq Y>0.6) THEN QUALITY LEVEL="B"
	ELSE IF (0.6 \geq Y>0.4) THEN QUALITY LEVEL="C"
	ELSE IF (0.4 \geq Y) THEN QUALITY LEVEL="D"
EVALUATION FUNCTION 2:	IF((Y=# OF ATTRIBUTES DESCRIBED IN X/ # OF ATTRIBUTES OF X)>0.95)THEN QUALITY LEVEL="A"
	ELSE IF (0.95 \geq Y>0.8) THEN QUALITY LEVEL="B"
	ELSE IF (0.8 \geq Y>0.6) THEN QUALITY LEVEL="C"
	ELSE IF (0.6 \geq Y) THEN QUALITY LEVEL="D"
EVALUATION FUNCTION 3:	IF (X!= END CLASS) AND (# OF SUB-CLASSES OF X=1) THEN L1=L1+1, Return ("X.CID", "THERE IS ONE SUB_CLASS")
EVALUATION FUNCTION 4:	IF (X.Same-as!=NULL) AND (NOT (Z.CID=X.Same_as) AND (Z.Status="OOD")) THEN L1=L1+1, Return ("X.CID", "SAME AS X.Same_as"))
EVALUATION FUNCTION 5:	IF (L1<5) THEN QUALITY LEVEL = "A"
	ELSE IF (10 \geq L1>5) THEN QUALITY LEVEL="B"
	ELSE IF (50 \geq L1>10) THEN QUALITY LEVEL="C"
	ELSE IF (50>L1) THEN QUALITY LEVEL="D"

FIG. 21B

RULE 1:	IF ISSUING OF CLASS BSU THEN BSU CODE ="A"+MAX OF CURRENT CLASS BSU ISSUED No.+1
RULE 2:	IF ISSUING OF ATTRIBUTE BSU THEN BSU CODE = "P"+MAX OF CURRENT ATTRIBUTE BSU ISSUED No.+1


19/34

FIG. 22




20/34

FIG. 23



21/34

FIG. 24



22/34

FIG. 25






FIG. 26



24/34

FIG. 27
PRIOR ART



25/34

FIG. 28A

Regarding Rev/Ver of Property

Concept model	i Data model	Add	Change	Delete
Code	Property_BSU.code	—	X	X
Definition Class	Property_BSU.name_scope	X	X	X
Data type	Property_DET.domain	—	V(※8)	X
Preferred Name	item_name.name	—	R	X
Short Name	item_name.Short_name	—	R	X
Preferred Letter Symbol	Property_DET.preferred_symbol	R	R	X
Synonymous Letter Symbol	Property_DET.synonymous_symbols	R	R	R
Synonymous Name	item_name.Synonymous_names	R	R	R
Property Type Classification	Property_DET.DET_classification	—	R(※9)	X
Definition	Property_DET.definition	—	R/V(※10)	X
Source Document of definition	identified_document.document_identifier	R(※11)	R(※11)	R
Note	Property_DET.note	R(※11)	R(※11)	R
Remark	Property_DET.remark	R(※11)	R(※11)	R
Unit	int/real_measure_type.unit_structured_representation	—	X	X
Condition	Property_DET.depends_on	X	X/R(※12)	X
Formula	Property_DET.formula	R(※11)	R(※11)	R(※11)
Format	Property_DET.domain.simple_type.value_format	—	V	X
Date of Original Definition	dates.date_of_original_definition	—	X	X
Date of current version	dates.date_of_current_version	—	V	X
Date of current revision	dates.date_of_current_revision	—	R/V	X
Version number	Property_BSU.version	—	V	X
Revision number	Property_DET.revision	—	R	X

※8 Change of Data_type itself not allowed. Possible are:

1. Addition of option of enumeration type data
2. Change of Version of class constituting attribute range(ex:is_part_of relationship)
3. Change of Version of Data_type BSU

※9 Only in case of Rev change of ISO31 or ISO13584.

※10 Change of definition that affects Property is not allowed. But processing for evaluating value of this Property may be Changed. Ver change in such case, or Rev change otherwise.

※11 Change of definition that affects Property is not allowed.

※12 Change of Condition_DET is not allowed. Version change of Condition_DET will propagate to Depend_P_DET.

26/34

FIG. 28B

Regarding Rev/Ver of Class

Concept model	i Data model	Add	Change	Delete
Code	Class_BSU.code	—	X	X
Super Class	Class.its_superclass	V(※15)	V(※12)	V(※12)
Preferred Name	item_name.name	—	R	X
Short Name	item_name.Short_name	V	V(※16)	X
Visible Type	Class_BSU.added_visible_data_type	V	V(※16)	X
Applicable Type	Class.defined_types	V	V(※16)	X
Sub-class selection Property	class.sub_class_properties	R	R	R
Synonymous Name	item_name.Synonymous_names	V	V(※16)	X
Visible Property	Class_BSU.added_visible_property	V	V(※16)	X
Applicable Property	Described_by	V	V(※16)	X
Class Value assignment	Class.class_constant_values	—	R/V(※17)	X
Definition	Property_DET.definition	R	R	R
Source Document of definition	identified_document.document_identifier	R	R	R
Note	Property_DET.note	R	R	R
Remark	Property_DET.remark	—	R	R
Simplified Drawing	Class.simplified_drawing	—	X	X
Date of Original Definition	dates.date_of_original_definition	—	V	X
Date of current version	dates.date_of_current_version	—	R/V	X
Date of current revision	dates.date_of_current_revision	—	V	X
Version number	Property_BSU.version	—	R	X
Revision number	Property_BSU.revision	—	R	X

※13 Value can only be added.

※14 Change of arbitrary element of Dependent_P_DET Set.

※15 Property/Data_type of inherited Visible/Applicable Should not be deleted by change of Super Class. This occurs when (1) new Version is created by Sub-Class, or(2) intermediate class is inserted.

※16 Change is only addition of new Item or change of Version of Item to be referred.

※17 Change of definition that affects Property is not allowed.

Propagation of change of Class V/R

- Version change of parent class→Version charge of all children classes (grand children classes)
- Version change of Table or contents that refer to class→Version change of that class

27/34

FIG. 29
PRIOR ART

CREATION OF END CLASS

AAA			
└	BBB		
	└	CCC	
		└	DDD
			└
			EEE

Newly Create



AAA			
└	BBB		
	└	CCC	
		└	DDD
			└
			EEE
			FFF

Class Name : FFF			
Visible		Applicable	Inherit
YYY	×	YYY	DDD
ZZZ	→		DDD

Class HHH → NewBSU

FIG. 30
PRIOR ART

DELETION OF END CLASS

AAA			
└	BBB		
	└	CCC	
		└	DDD
			└
			EEE
			HHH

Class Name : HHH			
Visible		Applicable	Inherit
YYY	×	YYY	DDD
ZZZ	→		DDD
SSS	→		



AAA			
└	BBB		
	└	CCC	
		└	DDD
			└
			EEE
			HHH

Delete



AAA			
└	BBB		
	└	CCC	
		└	DDD
			└
			EEE



Old HHH → Retired
Old SSS → Retired

MERGING OF CLASSES

```

graph TD
    AAA[AAA] --> BBB[BBB]
    BBB --> CCC[CCC]
    BBB --> DDD[DDD]
    CCC --> EEE1[EEE]
    CCC --> HHH1[HHH]
    DDD --> EEE2[EEE]
    DDD --> HHH2[HHH]
    EEE1 & HHH1 & EEE2 & HHH2 --> Merge[Merge]
  
```

AAA				
BBB				
CCC				
DDD				
EEE				
FFF				
GGG				

AAA			
BBB			
CCC			
DDD			
EEE			
FFF			
GGG			

Class Name : <u>EEE</u>			
Visible		Applicable	Inherit
YYY	×	YYY	DDD
ZZZ	→	ZZZ	

CLASS NAME : HHH			
Visible		Applicable	Inherit
YYY	×	YYY	DDD
XXX	→		

CLASS NAME : FFF		
Visible		Applicable Inherit
YYY	×	YYY
XXX	↑	DDD
\$\$\$	↑	HHH

Class Name: EEE	→: Vanish
Class Name: HHH	→: Vanish

OR TYPE MERGE

Class Name : KKK		
Visible	Applicable	Inherit
YYY	×	YYY
ZZZ	→	ZZZ
XXX	→	

AND TYPE MERGE

Class Name : KKK		
Visible	Applicable	Inherit
YYY	X	YYY
		DDD

Attribute Name : ZZZ

[illegible]

※Attribute SSS of HHH is inherited to lower level

※Attribute SSS of mm is inherited to lower level
 ※Attribute SSS of EEE is vanished as there is no one to inherit
 ※Among attributes common to classes to be merged:

1: an attribute is Applicable in new class if it is Applicable in all classes

- 1: an attribute is **Visible** in new class if it is **Visible** in the same class
- 2: an attribute is **Visible** in new class if it is **Visible** in at least one class

✖Among attributes not common to classes to be merged:

1: an attribute is Visible in new class

Class EEE \rightarrow Retired
Class HHH \rightarrow Retired

Class KKK \rightarrow NewBSU
Attribute ZZZ \rightarrow NewBSU \times 4
Attribute XXX \rightarrow NewBSU \times 4
Old ZZZ \rightarrow Retired
Old XXX \rightarrow Retired

Class FFF \rightarrow NewBSU \times 3&2
Old FFF \rightarrow Retired
Attribute SSS \rightarrow NewBSU \times 4
Old SSS \rightarrow Retired

Class KKK \rightarrow NewBSU
Class FFF \rightarrow NewBSU \times 3&2
Attribute XXX \rightarrow NewBSU \times 4
Attribute SSS \rightarrow NewBSU \times 4
Old ZZZ \rightarrow Retired
Old XXX \rightarrow Retired
Old SSS \rightarrow Retired

MOVING OF CLASS (1)


AAA					
-	BBB				
		CCC			
		DDD			
			EEE		
			FFF		
			GGG		
			HHH		
			III		

Move

AAA			
— BBB			
	— CCC		
	— DDD		
	— EEE		
	— FFF		
	— GGG		
	— HHH		
	— III		

AAA			
BBB			
CCC			
DDD			
III			
HHH			

Class Name : HHH		
Visible	Applicable	Inherit
SSS	×	BBB
YYY	→	DDD
ZZZ	→	



Class Name : HHH		
Visible	Applicable	Inherit
SSS	×	SSS
YYY	→	BBB
ZZZ	→	

※YYY & DDD are overlapping

Class HHH \rightarrow NewBSU*3&2
Old HHH \rightarrow Retired

Attribute $YYY \rightarrow \text{NewBSU} \times 4$
Attribute $ZZZ \rightarrow \text{NewBSU} \times 4$
Old $ZZZ \rightarrow \text{Retired}$

✖Old YYY is used in Class III

MOVING OF CLASS (2)

Example 2

AAA				
-	BBB			
	-	CCC		
	-	DDD		
		-	HHH	
		-	III	
	-	EEE		
	-	FFF		
	-	GGG		
		-	JJJ	
		-	KKK	

Move

AAA					
	—	BBB			
		—	CCC		
			—	DDD	
				—	HHH
				—	III
	—	EEE			
	—		FFF		
		—		GGG	
			—		JJJ
				—	KKK

AAA			
—	BBB		
	—	CCC	
		—	DDD
			— III
—	EEE		
	—	FFF	
	—	GGG	
		—	JJJ
			— KKK
		—	HHH


Class Name : HHH		
Visible	Applicable	Inherit
SSS	×	BBB
YYY	→	DDD
ZZZ	→	

Class Name : HHH		
Visible	Applicable	Inherit
TTT	× TTT	EEE
SSS	↑	
YYY	↑	
ZZZ	↑	

Class HHH \rightarrow NewBSU \times 3
 Old HHH \rightarrow Retired
 Attribute SSS \rightarrow NewBSU \times 4
 Attribute YYY \rightarrow NewBSU \times 4
 Attribute ZZZ \rightarrow NewBSU \times 4
 Old ZZZ \rightarrow Retired
 \times Old SSS is used in Class DDD
 \times Old YYY is used in Class III

- ※Inherited attribute is changed to direct attribute
- ※New inherited attribute is added
- ※SSS & YYY are overlapping → Assist Function

FIG. 34
PRIOR ART



32/34

FIG. 35
PRIOR ART

MOVING OF CLASS (4)

Example 4

AAA				
	BBB			
		CCC		
		DDD		
			HHH	III
				Move




AAA				
	BBB			
		CCC		
		DDD		
			HHH	III



AAA				
	BBB			
		CCC		
		DDD		
			HHH	III

Class Name : DDD				
Visible		Applicable	Inherit	
SSS	x	SSS	BBB	
ZZZ	→			



Class Name : HHH				
Visible		Applicable	Inherit	
SSS	x	SSS	BBB	
YYY	→		CCC	
ZZZ	→		DDD	
XXX	→			

Class DDD → VerUP
Class HHH → VerUP
Class III → VerUP

33/34

FIG. 36 PRIOR ART

CREATION OF
INTERMEDIATE CLASS

AAA				
	BBB			
		CCC		
		DDD		
			EEE	
			FFF	
			GGG	

Range Specification

AAA				
	BBB			
		CCC		
		DDD		
			EEE	
			FFF	
			GGG	

Upper Class Generation

AAA				
	BBB			
		CCC		
		DDD		
			EEE	
			FFF	
			GGG	

AAA				
	BBB			
		CCC		
		DDD		
			EEE	
			FFF	
			GGG	

Class Name : FFF			
Visible		Applicable	Inherit
YYY	x	YYY	DDD
XXX	→		

Class Name : GGG			
Visible		Applicable	Inherit
YYY	x	YYY	DDD
ZZZ	→		

Class Name : HHH			
Visible		Applicable	Inherit
YYY	x	YYY	DDD
YYY			

Class Name : FFF			
Visible		Applicable	Inherit
YYY	x	YYY	DDD
XXX	→		

Class Name : GGG			
Visible		Applicable	Inherit
YYY	x	YYY	DDD
ZZZ	→		

Class HHH→New BSU
Class FFF→VerUP
Class CCC→VerUP

FIG. 37
PRIOR ART

DELETION OF
INTERMEDIATE CLASS

AAA				
BBB				
CCC				
DDD				
EEE				
HHH				
FFF				
GGG				



AAA				
BBB				
CCC				
DDD				
EEE				
HHH				
FFF				
GGG				

Delete




AAA				
BBB				
CCC				
DDD				
EEE				
FFF				
GGG				

Class Name : HHH				
Visible		Applicable	Inherit	
YYY	x	YYY	DDD	
SSS	→			

CLASS NAME : FFF				
Visible		Applicable	Inherit	
YYY	x	YYY	DDD	HHH
SSS	→			
XXX	→			

CLASS NAME : GGG				
Visible		Applicable	Inherit	
YYY	x	YYY	DDD	HHH
SSS	→			
ZZZ	→			



CLASS NAME : FFF				
Visible		Applicable	Inherit	
YYY	x	YYY	DDD	
SSS	→			
XXX	→			

CLASS NAME : GGG				
Visible		Applicable	Inherit	
YYY	x	YYY	DDD	
SSS	→			
ZZZ	→			

※SSS is overlapping → Assist Function

137 31207
555-525-05

Declaration and Power of Attorney For Patent Application

特許出願宣言書及び委任状

Japanese Language Declaration

日本語宣言書

下記の氏名の発明者として、私は以下の通り宣言します。

私の住所、私書箱、国籍は下記の私の氏名の後に記載された通りです。

下記の名称の発明に関して請求範囲に記載され、特許出願している発明内容について、私が最初かつ唯一の発明者（下記の氏名が一つの場合）もしくは最初かつ共同発明者（下記の名称が複数の場合）であると信じています。

上記発明の明細書は、

- ☐ 本書に添付されています。
- ☐ ____月 ____日に提出され、米国出願番号または特許協定条約国際出願番号を____とし、
(該当する場合) ____に訂正されました。

私は、特許請求範囲を含む上記訂正後の明細書を検討し、内容を理解していることをここに表明します。

私は、連邦規則法典第37編第1条56項に定義されるとおり、特許資格の有無について重要な情報を開示する義務があることを認めます。

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled.

ELECTRONIC CATALOG MAINTENANCE SYSTEM FOR
ENABLING OUT-OF-STANDARD ELECTRONIC CATALOG
CHANGES

the specification of which

☒ is attached hereto.

☐ was filed on _____
as United States Application Number or
PCT International Application Number
_____ and was amended on
_____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

Japanese Language Declaration

(日本語宣言書)

私は、米国法典第35編119条 (a) - (d) 項又は365条 (b) 項に基づき下記の、米国以外の国の少なくとも一カ国を指定している特許協力条約365 (a) 項に基づく国際出願、又は外国での特許出願もしくは発明者証の出願についての外国優先権をここに主張するとともに、優先権を主張している、本出願の前に出願された特許または発明者証の外国出願を以下に、枠内をマークすることで、示しています。

Prior Foreign Application(s)

外国での先行出願

<u>P 11-332038</u>	<u>Japan</u>
(Number)	(Country)
(番号)	(国名)
<hr/>	<hr/>
(Number)	(Country)
(番号)	(国名)

私は、第35編米国法典119条 (e) 項に基づいて下記の米国特許出願規定に記載された権利をここに主張いたします。

<u>(Application No.)</u>	<u>(Filing Date)</u>
(出願番号)	(出願日)

私は、下記の米国法典第35編120条に基づいて下記の米国特許出願に記載された権利、又は米国を指定している特許協力条約365条 (c) に基づく権利をここに主張します。また、本出願の各請求範囲の内容が米国法典第35編112条第1項又は特許協力条約で規定された方法で先行する米国特許出願に開示されていない限り、その先行米国出願書提出日以降で本出願書の日本国内または特許協力条約国際提出日までの期間中に入手された、連邦規則法典第37編1条56項で定義された特許資格の有無に関する重要な情報について開示義務があることを認識しています。

<u>(Application No.)</u>	<u>(Filing Date)</u>
(出願番号)	(出願日)

<u>(Application No.)</u>	<u>(Filing Date)</u>
(出願番号)	(出願日)

私は、私自信の知識に基づいて本宣言書中で私が行なう表明が真実であり、かつ私の入手した情報と私の信じることに基づく表明が全て真実であると信じていること、さらに故意になされた虚偽の表明及びそれと同等の行為は米国法典第18編第1001条に基づき、罰金または拘禁、もしくはその両方により処罰されること、そしてそのような故意による虚偽の声明を行なえば、出願した、又は既に許可された特許の有効性が失われることを認識し、よってここに上記のごとく宣誓を致します。

I hereby claim foreign priority under Title 35, United States Code, Section 119 (a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed.

<u>22/November/1999</u>	<u>Priority Claimed</u>
(Day/Month/Year Filed)	優先権主張
(出願年月日)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
	はい いいえ
<hr/>	<hr/>
(Day/Month/Year Filed)	Yes <input type="checkbox"/> No <input type="checkbox"/>
(出願年月日)	はい いいえ

I hereby claim the benefit under Title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below.

<u>(Application No.)</u>	<u>(Filing Date)</u>
(出願番号)	(出願日)

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code Section 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of application.

<u>(Status: Patented, Pending, Abandoned)</u>
(現況 : 特許許可済、係属中、放棄済)

<u>(Status: Patented, Pending, Abandoned)</u>
(現況 : 特許許可済、係属中、放棄済)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Japanese Language Declaration
(日本語宣言書)

委任状：私は下記の発明者として、本出願に関する一切の手続きを米特許商標局に対して遂行する弁理士または代理人として、下記の者を指名いたします。
(弁理士、または代理人の指名及び登録番号を明記のこと)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: (list name and registration number)

Norman F. Oblon, Reg. No. 24,618; Marvin J. Spivak, Reg. No. 24,913; C. Irvin McClelland, Reg. No. 21,124; Gregory J. Maier, Reg. No. 25,599; Arthur I. Neustadt, Reg. No. 24,854; Richard D. Kelly, Reg. No. 27,757; James D. Hamilton, Reg. No. 28,421; Eckhard H. Kuesters, Reg. No. 28,870; Robert T. Pous, Reg. No. 29,099; Charles L. Gholz, Reg. No. 26,395; William E. Beaumont, Reg. No. 30,996; Robert F. Gnuse, Reg. No. 27,295; Jean-Paul Lavalleye, Reg. No. 31,451; Stephen G. Baxter, Reg. No. 32,884; Richard L. Treanor, Reg. No. 36,379; Steven P. Weihrouch, Reg. No. 32,829; John T. Goolkasian, Reg. No. 26, 142; Richard L. Chinn, Reg. No. 34,305; Steven E. Lipman, Reg. No. 30,011; Carl E. Schlier, Reg. No. 34,426; James J. Kulbaski, Reg. No. 34,648; Richard A. Neifeld, Reg. No. 35,299; J. Derek Mason, Reg. No. 35,270; Surinder Sachar, Reg. No. 34,423; Christina M. Gadiano, Reg. No. 37,628; Jeffrey B. McIntyre, Reg. No. 36,867; William T. Enos, Reg. No. 33,128 and Michael E. McCabe, Jr., Reg. No. 37,182, with full powers of substitution and revocation.

書類送付先

Send Correspondence to:

OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C.
FOURTH FLOOR
1755 JEFFERSON DAVIS HIGHWAY
ARLINGTON, VIRGINIA 22202 U.S.A.

直接電話連絡先：(名前及び電話番号)

Direct Telephone Calls to: (name and telephone number)
(703) 413-3000

単独発明者または第一の共同発明者の氏名	Full name of sole or first joint inventor Satoshi ITO	
発明者の署名	Inventor's signature <i>Satoshi Ito</i>	Date November 17, 2000
住所	Residence Tokyo, Japan	
国籍	Citizenship Japan	
郵便の宛先	Post Office Address c/o Intellectual Property Division, Toshiba Corporation, 1-1-1, Shibaura, Minato-ku, Tokyo, Japan	
第二の共同発明者の氏名	Full name of second joint inventor, if any	
第二の共同発明者の署名	Second joint Inventor's signature	Date
住所	Residence	
国籍	Citizenship	
郵便の宛先	Post Office Address	

(第三以降の共同発明者についても同様に記載し、署名すること)

(Supply similar information and signature for third and subsequent joint inventors.)